
Subject: Re: PopUp changes Key fields
Posted by [htManager](#) on Fri, 22 Jun 2018 07:41:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yes, that works. Before getting the additional data I copy the values in verbaende_art_id_old, verbaende_kuerzel_old... and later I copy these values in the \$select_array.

```
// liest Schluessel-Werte ein
$verbaende_art_id_old = $fieldarray['verbaende_art_id'];
$verbaende_kuerzel_old = $fieldarray['verbaende_kuerzel'];
$vereine_kuerzel_old = $fieldarray['vereine_kuerzel'];

// get contents of foreign table ORGA_VEREINE
$dbobject =& RDCsingleton::getInstance('orga_vereine'); // Instanz für Lookup-Tabelle
$where = "verbaende_art_id='{$select_array['verbaende_art_id']}'"
AND verbaende_kuerzel='{$select_array['verbaende_kuerzel']}'"
AND vereine_kuerzel='{$select_array['vereine_kuerzel']}"";

$data = $dbobject->getData ($where);

if (!empty($data)){
    $data = $data[0];

        $fieldarray['kontakt_stamm_verbaende_art_id'] = $data['verbaende_art_id'];
        $fieldarray['kontakt_stamm_verbaende_kuerzel'] = $data['verbaende_kuerzel'];
        $fieldarray['kontakt_stamm_vereine_kuerzel'] = $data['vereine_kuerzel'];

        $fieldarray['kontakt_stamm_vereine_name'] = $data['vereine_name'];

        $select_array['verbaende_art_id'] = $verbaende_art_id_old;
        $select_array['verbaende_kuerzel'] = $verbaende_kuerzel_old;
        $select_array['vereine_kuerzel'] = $vereine_kuerzel_old;
```

I don't know exactly but I think that this worked earlier. Did you change something in the latest versions?
