
Subject: Re: Cannot delete audit data

Posted by [divico](#) on Wed, 13 Jul 2022 22:35:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for your response. I don't give up. I use the latest version 2.22.

1.) The correct location for script batch.ini is in the radicore <root> directory.

I inserted the following echo statements into the code:

```
function batchInit ($batchfile)
// initialisation for a batch process
{
    global $stdout, $stdouth, $argv;

    error_reporting(-1);           // report everything
    ini_set('display_errors', true); // display everything

    $result = ini_set('max_execution_time', 0); // no time limit

    set_error_handler('errorHandlerBatch');

    echo $batchfile . PHP_EOL;
    // get fully-qualified name of current file
    $curr_file = str_replace("\\", "/", $batchfile);
    echo $curr_file . PHP_EOL;
    $curr_dir = dirname($curr_file); // extract directory
    echo $curr_dir . PHP_EOL;
    chdir($curr_dir);               // set current working directory to this

    // retrieve variables from file
    if (file_exists('batch.ini')) {
        echo "Use custom file" . PHP_EOL;
        $ini_array = parse_ini_file('batch.ini'); // use custom file
    } else {
        echo "Use default file" . PHP_EOL;
        $ini_array = parse_ini_file('batch.ini.default'); // use default file
    } // if
```

This results in:

```
[$batchfile = ]/var/www/html/radicore/mysubsys/mybatch(batch).php
[$curr_file = ]/var/www/html/radicore/mysubsys/mybatch(batch).php
[$curr_dir = ]/var/www/html/radicore/mysubsys
Use default file
```

file_exists("batch.ini") looks in the subsys directory ("/var/www/html/radicore/mysubsys") and not in the root directory. It doesn't find it there, hence batch.ini.default is used. If the documentation is correct \$curr_dir must be changed to point to the radicore root directory ("/var/www/html/radicore")

in my case.

2.) The version of errorHandlerBatch() in the RADICORE download already contains the correct five arguments. The version which you are using must be incorrect.

I have the correct version with the correct signature. I found this in the documentation:

See <https://www.php.net/manual/en/function.set-error-handler.php>

errcontext:

"Warning

This parameter has been DEPRECATED as of PHP 7.2.0, and REMOVED as of PHP 8.0.0. If your function defines this parameter without a default, an error of "too few arguments" will be raised when it is called."

I think this is the issue. As a matter of fact the errcontext may be removed or at least a default value has to be defined, as suggested by myself.

3.) The error reported at includes/language_detection.inc on line 279 is wrong as that line does not try to convert FALSE to array. On my system the command is:

```
$_SESSION['user_language_array'] =  
get_user_languages($_SERVER["HTTP_ACCEPT_LANGUAGE"]);
```

I have the same statement on this line. I think the issue is that \$_SESSION is not defined, resp. is of type bool.

I changed the code as follows:

```
$a = get_user_languages($_SERVER["HTTP_ACCEPT_LANGUAGE"]);  
echo "About to print the result of get_user_languages" . PHP_EOL;  
echo gettype($a) . PHP_EOL;  
var_dump($a);  
echo "After print of the result of get_user_languages" . PHP_EOL;  
    //$_SESSION['user_language_array'] =  
get_user_languages($_SERVER["HTTP_ACCEPT_LANGUAGE"]);  
    echo "About to print the result of SESSION" . PHP_EOL;  
    echo gettype($_SESSION) . PHP_EOL;  
    var_dump($_SESSION);  
    echo "After print of the result of SESSION" . PHP_EOL;  
    $_SESSION = array();  
    $_SESSION['user_language_array'] = $a;
```

Results in:

```
About to print the result of get_user_languages  
array  
/var/www/html/radicore/includes/language_detection.inc:282:
```

```

array(1) {
  [0] =>
  array(4) {
    [0] =>
    string(5) "en-gb"
    [1] =>
    string(2) "en"
    [2] =>
    string(32) "English (United Kingdom) [en_GB]"
    [3] =>
    string(7) "English"
  }
}

```

After print of the result of `get_user_languages`

About to print the result of `SESSION`

boolean

`/var/www/html/radicore/includes/language_detection.inc:287:`

`bool(false)`

After print of the result of `SESSION`

`$_SESSION` is of type `bool`. Therefore the error is raised. Potentially this change in PHP 8.1 applies here:

https://wiki.php.net/rfc/autovivification_false

Declaring `$_SESSION` as an array removes the error on my system.

4.) The error reported at `/includes/include.session.inc` line 993 is wrong as that command does not contain a call to `'strtoupper()'`. On my system the command is:

```
trigger_error($GLOBALS['php_errormsg'], E_USER_ERROR);
```

I have the same code on this line and currently no idea why I receive the error. But I get what I get.

btw: I cannot download your zip file, receiving

Access to `forum.radicore.org` was denied

You don't have authorization to view this page.

HTTP ERROR 403

when I click on it.

I think I have a better understanding what happens re my issues 1-3. Would it be possible to consider my suggestions? I'm sure there must be a reasonable explanation for issue no 4 as well. Maybe something comes to your mind.