
Subject: Re: Update 4

Posted by [danpoleary](#) on Thu, 05 Jul 2007 16:48:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

I got the first two already, in my sources_destination.class.inc, I have:

Quote: function _cm_changeConfig (\$where, \$fieldarray)

```
{  
    $this->fieldspec['publish_key'] = array('type' => 'string',  
        'size' => 1024,  
        'required' => 'y',  
        'control' => 'popup',  
        'task_id' => 'collection_list.popup1',  
        'foreign_field' => 'publish_key');  
    return $fieldarray;  
  
}
```

In the filelist.multi4.screen.inc, I have:

Quote:\$structure['outer']['fields'][] = array('source_key' => 'Source Key');
\$structure['outer']['fields'][] = array('source_url' => 'Source Url');
\$structure['outer']['fields'][] = array('contact' => 'Contact');
\$structure['outer']['fields'][] = array('phone' => 'Phone');
\$structure['outer']['fields'][] = array('email' => 'Email');
\$structure['outer']['fields'][] = array('region' => 'Region');
\$structure['outer']['fields'][] = array('source_root' => 'Source Root');
\$structure['outer']['fields'][] = array('parent_source_key' => 'Parent Source Key');
\$structure['outer']['fields'][] = array('publish_key' => 'Publish Key');

But where does the \$fieldarray come into play?

I looked through the code, and the FAQ's, and am not sure where this should be applied.
