

---

Subject: Enum MySQL datatype

Posted by [johandewit](#) on Thu, 11 May 2006 08:04:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

There is support for this datatype, but looking at the examples, it isn't used anywhere. Instead the enum type is replaced by a dropdown list generated by the function `getLanguageArray()`;

I'm using the enum type in those cases where processing depends on the value.

Eg. An employee database. People can have different states like

These states are assigned to some action type, like active or inactive. Depending on the action type, there will be a different processing of the record.

state	action
working	active
retired	inactive
ill	inactive
resigned	inactive

Eg. Inactive people cannot get a pay raise while active do.

The states will be defined in `<sybsystem>text/en/language_array.inc`, while the different actions are defined in the database using the enum type.

My common sense tells me for both the state and action, one should use a dropdown list. The state optionlist is retrieved from the text file using the `getLanguageArray()` function, while the action option list is retrieved from the database using the `getEnum()` method.

Only problem I encountered is that when using the enum type, the `validateField()` function always returned an error which makes the Insert/Update impossible.

Following diff solved this problem, but I don't know if this is the desired enum type validation. The index value as retrieved from the dropdown is replaced with the value. No real validation is done, but since dropdown lists are used, I don't think this is really needed.

Is it a good thing if we encounter an enum type, the optionlist and dropdown input type should be used by default? In the `<specific>.table.class`, we should not repeat this for every enum type. If the enum field is required (not NULL), and has a default value, this should be selected with the 'insert' mode. Otherwise the value from the database should be selected. Only if the enum field is optional, an empty line should be added to the optionlist.

Right now, I have always two empty lines in the 'new' screen. Even if I remove the empty line from the optionlist.

I'm willing to give it a try to implement the enum type behaviour as described above if this is the desired behaviour.

Greetings

Johan

---

Subject: Re: Enum MySQL datatype  
Posted by [AJM](#) on Thu, 11 May 2006 08:55:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Your use of the enum datatype is non-standard. You can define a list of values for 'state' as in:

ENUM('working','retired','ill','resigned') which is equivalent to array(0 => 'working', 1 => 'retired', 2 => 'ill', 3 => 'resigned'). The text values are displayed on the screen in a dropdown list (or even a radio group) but it is the numeric values which are actually stored in the database.

I you try to define a list of values for 'action' as in:

ENUM('active','inactive','inactive','inactive') this would be ridiculous as you have repeating values, so does the value 'inactive' equate to the number 1, 2 or 3?

Trying to store both the 'state' and 'action' in a single field is quite wrong IMHO. 'State' is what you should be displaying to the user, but the correlation between 'state' and 'action' should be done separately.

---

---

Subject: Re: Enum MySQL datatype  
Posted by [johandewit](#) on Thu, 11 May 2006 11:57:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I didn't explain it too well I guess.  
And it seems this is what you rty to make clear to me:

I have a table users and a table status.

Every user has at least one status. This could be eg

transferred to other site  
retired  
resigned  
fired  
working

This states have certain actions bound to them.

active  
non-active

An active user has a different processing than non-active.  
It is in the status table we have the enum field for action.

In this case we only have enum('active','non-active')  
Since we need to write a different piece of code for each action, the use of the enum type in this case seems appropriate.

---

Subject: Re: Enum MySQL datatype  
Posted by [AJM](#) on Thu, 11 May 2006 12:23:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

You can have an ENUM field for status, and an ENUM field for action, but it is not possible to have a single ENUM field which combines both status and action.

---