Subject: Re: _cm_post_getData
Posted by interop on Fri, 14 Sep 2007 18:45:05 GMT
View Forum Message <> Reply to Message

If it matters I'm using linux OS

Here are the values I get while in getEntryPoint() during the "export table to php" procedure

$classname = 'dict_table_s02'
$parentclass = 'dict_table'

$array[0]['file'] = '...std.table.class.inc'
$array[0]['function'] = 'getEntryPoint'
$array[0]['class'] is not set
$array[0]['type'] is not set

$array[1]['file'] = '...std.update4.inc'
$array[1]['function'] = 'getData'
$array[1]['class'] = 'Default_Table'
$array[1]['type'] = '->'

$array[2]['file'] = '...table_export.php'
$array[2]['function'] = 'require_once'
$array[2]['class'] is not set
$array[2]['type'] is not set

'type' is only set for $array[1] so this is the only entry that gets checked and $array[1]['class'] doesn't match $classname or $parentclass so $method never gets set.

I verified that I did upgrade include.general.inc to version 1.28.0 but here's getEntryPoint() in case:

```
function getEntryPoint ($object)
// get the name of the first method that was used to access the specified object.
{
    if (is_object($object)) {
        // get class name for the current object
        $classname   = get_class($object);
        $parentclass = get_parent_class($object);
    } else {
        // assume input is a string
        $classname   = $object;
        $parentclass = '';
    } // if

    $method = null;                 // initialise
    $array  = debug_backtrace();    // get trace data

    // start at the end of the array and move backwards
```

```
    for ($i = count($array)-1; $i >= 0; $i--) {
        // is this entry for a method call?
        if (isset($array[$i]['type'])) {
            if ($array[$i]['class'] == $classname) {
                $method = $array[$i]['function'];
                break;
            } // if
            if ($array[$i]['class'] == $parentclass) {
                $method = $array[$i]['function'];
                break;
            } // if
            if (isset($array[$i]['object'])) {
                if (is_a($array[$i]['object'], $classname)) {
                    $method = $array[$i]['function'];
                    break;
                } // if
                if (is_a($array[$i]['object'], $parentclass)) {
                    $method = $array[$i]['function'];
                    break;
                } // if
            } // if
//          if ($array[$i]['class'] != 'Default_Table') {
//              if (is_subclass_of($object, $array[$i]['class'])) {
//                  $method = $array[$i]['function'];
//                    break;
//              } // if
//          } // if
        } // if
    } // for

    return $method;

} // getEntryPoint
```