Subject: Fatal error at logon
Posted by gpatti on Mon, 20 Apr 2009 23:21:31 GMT
View Forum Message <> Reply to Message

Tony,

In my production environment I have just started getting a fatal error at logon (happening for all users). I'm not sure whether it relates to me updating the version of std.table.class.inc (that we were discussing earlier today in another thread) although replacing the old version has not solved the issue, so it looks to be coincidental, unless I have accidentally changed something else.

Looking at the code it is some kind of unhandled exception, but I don't understand the get_class($exception) that is being returned.

The error displayed on screen is:

Fatal Error: Uncaught exception fron DOMException, message = Invalid Character Error (# 256).

Error in line 286 of file '/home/medaltes/domains/medaltest.com/includes/error.inc'.

Script: /menu/menu.php

User Id: GPATTISON

Remote Address: 62.49.26.129

Request URI: /menu/menu.php?session_name=menu6&selection=medals

The following is found in errorlog.html:

```
</pre>
<h2>2009-04-20 19:39:50</h2><p>Fatal Error: Uncaught exception fron DOMException,
message = Invalid Character Error (# 256).</p><p>Error in line 286 of file
'/home/medaltes/domains/medaltest.com/includes/error.inc'.</p ><p>Script:
/menu/menu.php</p><p>User Id: GPATTISON</p><p>Remote Address:
62.49.26.129</p><p>Request URI:
/menu/menu.php?session_name=menu6&selection=medals</p>
 <p>Page Stack:</p>
<pre>
  [0] medals

</pre>
 <pre>
0: array =
  file: string =   /home/medaltes/domains/medaltest.com/includes/include.xml.ph p5.inc
  line: integer = 395
  function: string = createElement
  class: string = DOMDocument
```

```
  type: string = ->
  args: array =
    0: string = 0
1: array =
  file: string =   /home/medaltes/domains/medaltest.com/includes/include.xml.ph p5.inc
  line: integer = 372
  function: string = addLookup2XMLdoc
  args: array =
    0: array =
      0: array =
        : string =
      1: array =
        : string =
2: array =
  file: string =   /home/medaltes/domains/medaltest.com/includes/include.xml.ph p5.inc
  line: integer = 646
  function: string = addData2XMLdoc
3: array =
  file: string =   /home/medaltes/domains/medaltest.com/public_html/menu/menu.p hp
  line: integer = 147
  function: string = buildXML
  args: array =
    4: array =
```

</pre>

Can you help with any explanations?

Thanks,

Graham
