Subject: Re: Error running output2 pattern
Posted by htManager on Sat, 12 Jul 2014 06:18:51 GMT
View Forum Message <> Reply to Message

All the code is automatically generated by the Frameword, that's why I don't understand that it doesn't work.

Here is the code of the task script: htm_kontakte(output2).php:

```
<?php
 //********************************************************** ******************
// Extract the contents of a database table and export them to a PDF file which
// will be downloaded to the client device.
 //********************************************************** ******************

$table_id = 'kontakte';                  // table name
$report   = 'kontakte.list.report.inc';   // file identifying report structure

// customise the SQL SELECT statement
$sql_select  = null;
$sql_from    = null;
$sql_where   = null;
$sql_groupby = null;
$sql_having  = null;
$sql_orderby = null;

require 'std.output2.inc';      // activate page controller

?>
```

Here is the code of the class file:

```
<?php
//  ************************************************************ *****************
// Copyright 2003-2005 by A J Marston <http://www.tonymarston.net>
// Copyright 2006-2012 by Radicore Software Limited <http://www.radicore.org>
//  ************************************************************ *****************
require_once 'std.table.class.inc';
class kontakte extends Default_Table
{
   //  ********************************************************** ***************
   function kontakte ()
   {
      // save directory name of current script
      $this->dirname   = dirname(__file__);

      $this->dbms_engine = '';           // to be supplied by getFieldSpec_original()
      $this->dbprefix    = '';           // to be supplied by getFieldSpec_original()
```

```
        $this->dbname      = 'htm';
        $this->tablename   = 'kontakte';

        // call this method to get original field specifications
        // (note that they may be modified at runtime)
        $this->fieldspec = $this->getFieldSpec_original();

    } // kontakte

    function _cm_getInitialData ($fieldarray)
    // Perform custom processing for the getInitialData method.
    // $fieldarray contains data from the initial $where clause.
    {
//        $_SESSION['logon_user_id']    = $logon_user_id;
//        $_SESSION['logon_user_name']  = $fieldarray['user_name'];
//        $_SESSION['role_id']          = $fieldarray['role_id'];
//        $_SESSION['logon_email_addr'] = $fieldarray['email_addr'];
//        $_SESSION['rdcaccount_id']    = $fieldarray['rdcaccount_id'];

     if (!empty($_SESSION['logon_user_id'])) {
          // get next available number for user_seq_no
          $where = "user_id='{$_SESSION['logon_user_id']}'";
          $query = "SELECT max(user_seq_no) FROM $this->tablename WHERE $where";
          $count = $this->getCount($query);
          $fieldarray['user_id'] = $_SESSION['logon_user_id'];
          $fieldarray['user_seq_no']  = $count + 1;
        } // if

        // set these fields to 'noedit' (read only)
        $this->fieldspec['user_id']['noedit']  = 'y';
        $this->fieldspec['user_seq_no']['noedit'] = 'y';

        return $fieldarray;

    } // _cm_getInitialData

    function _cm_getExtraData ($where, $fieldarray)
    // Perform custom processing for the getExtraData method.
    // $where = a string in SQL 'where' format.
    // $fieldarray = the contents of $where as an array.
    {
        // get values for kontakt_typ_id and insert into lookup array
        $array = $this->getValRep('kontakt_typ_id');
        $this->lookup_data['kontakt_typ_id'] = $array;

        // get values for kontakt_position_id and insert into lookup array
        $array = $this->getValRep('kontakt_position_id'); // Feld in Tabelle kontakte
        $this->lookup_data['kontakt_position_id'] = $array; // s.o.
```

```
        // get contents of foreign table KONTAKTE_TYP and add to lookup array
        $dbobject =& RDCsingleton::getInstance('kontakte_typ');
        $array = $dbobject->getValRep('kontakt_typ_id_list');
        $this->lookup_data['kontakt_typ_id_list'] = $array;

        // get contents of foreign table KONTAKTE_POSITION and add to lookup array
        $dbobject =& RDCsingleton::getInstance('kontakte_position'); // Lookup-Tabelle
        $array = $dbobject->getValRep('kontakt_position_id');    // Lookup-Tabellen-Feld
        $this->lookup_data['kontakt_position_id'] = $array;

        return $fieldarray;

    } // _cm_getExtraData

//  ********************************************************** ****************
} // end class
//  ********************************************************** ****************
<?php
    // file created on July 11, 2014, 3:31 pm

    // field specifications for table htm.kontakte
    $fieldspec['user_id']               = array('type' => 'string',
                                        'size' => 16,
                                        'pkey' => 'y',
                                        'required' => 'y',
                                        'uppercase' => 'y');

    $fieldspec['user_seq_no']           = array('type' => 'integer',
                                        'type_native' => 'int',
                                        'size' => 11,
                                        'minvalue' => 0,
                                        'maxvalue' => 4294967295,
                                        'pkey' => 'y',
                                        'required' => 'y');

    $fieldspec['rdcaccount_id']         = array('type' => 'integer',
                                        'type_native' => 'int',
                                        'size' => 10,
                                        'minvalue' => 0,
                                        'maxvalue' => 4294967295,
                                        'required' => 'y',
                                        'default' => '1');

    $fieldspec['kontakt_typ_id']        = array('type' => 'string',
                                        'size' => 6,
                                        'required' => 'y',
                                        'default' => 'SP',
                                        'uppercase' => 'y',
```

```
                                'control' => 'dropdown',
                                'optionlist' => 'kontakt_typ_id_list');

$fieldspec['node_id']               = array('type' => 'integer',
                                'type_native' => 'int',
                                'size' => 5,
                                'minvalue' => 0,
                                'maxvalue' => 4294967295,
                                'default' => '0');

$fieldspec['kontakt_name']          = array('type' => 'string',
                                'size' => 50,
                                'required' => 'y');

$fieldspec['kontakt_vorname']       = array('type' => 'string',
                                'size' => 50);

$fieldspec['kontakt_strasse']       = array('type' => 'string',
                                'size' => 100);

$fieldspec['kontakt_lkz']           = array('type' => 'string',
                                'size' => 10);

$fieldspec['kontakt_plz']           = array('type' => 'string',
                                'size' => 10);

$fieldspec['kontakt_ort']           = array('type' => 'string',
                                'size' => 50);

$fieldspec['kontakt_telefon_privat']    = array('type' => 'string',
                                'size' => 30);

$fieldspec['kontakt_telefon_arbeit']    = array('type' => 'string',
                                'size' => 30);

$fieldspec['kontakt_telefon_mobil']     = array('type' => 'string',
                                'size' => 30);

$fieldspec['kontakt_email']         = array('type' => 'string',
                                'size' => 50);

$fieldspec['kontakt_fax']           = array('type' => 'string',
                                'size' => 50);

$fieldspec['kontakt_geburtstag']        = array('type' => 'date',
                                'size' => 12);

$fieldspec['kontakt_wurfhand']          = array('type' => 'string',
```

```
                                'size' => 2,
                                'default' => 'R');

$fieldspec['kontakt_position_id']       = array('type' => 'string',
                                'size' => 6,
                                'control' => 'dropdown',
                                'optionlist' => 'kkontakt_position_id');

$fieldspec['created_date']          = array('type' => 'datetime',
                                'size' => 20,
                                'required' => 'y',
                                'default' => '2014-01-01 00:00:00',
                                'autoinsert' => 'y',
                                'noedit' => 'y',
                                'nosearch' => 'y');

$fieldspec['created_user']          = array('type' => 'string',
                                'size' => 16,
                                'required' => 'y',
                                'autoinsert' => 'y',
                                'noedit' => 'y',
                                'nosearch' => 'y');

$fieldspec['revised_date']          = array('type' => 'datetime',
                                'size' => 20,
                                'autoupdate' => 'y',
                                'noedit' => 'y',
                                'nosearch' => 'y');

$fieldspec['revised_user']          = array('type' => 'string',
                                'size' => 16,
                                'autoupdate' => 'y',
                                'noedit' => 'y',
                                'nosearch' => 'y');

// primary key details
$this->primary_key                  = array('user_id',
                                'user_seq_no');

// unique key details
$this->unique_keys                  = array();

// child relationship details
$this->child_relations[]            = array('child' => 'kontakte_ausruestung',
                                'type' => 'RES',
                                'fields' => array('user_id' => 'user_id',
                                                  'user_seq_no' => 'user_seq_no'));
```

```
    $this->child_relations[]        = array('child' => 'mannschaften_kontakte',
                                    'type' => 'RES',
                                    'fields' => array('user_id' => 'kontakt_ma_user_id',
                                                'user_seq_no' => 'kontakt_ma_user_seq_no'));

    $this->child_relations[]        = array('child' => 'spiele_transport',
                                    'type' => 'RES',
                                    'fields' => array('user_id' => 'transport_user_id',
                                                'user_seq_no' => 'transport_user_seq_no'));

    $this->child_relations[]        = array('child' => 'spiele_transport_mitfahrer',
                                    'type' => 'RES',
                                    'fields' => array('user_id' => 'mitfahrer_user_id',
                                                'user_seq_no' => 'mitfahrer_user_seq_no'));

    // parent relationship details
    $this->parent_relations[]       = array('parent' => 'kontakte_position',
                                    'fields' => array('kontakt_position_id' => 'kontakt_position_id',
                                                'rdcaccount_id' => 'rdcaccount_id'));

    $this->parent_relations[]       = array('parent' => 'kontakte_typ',
                                    'fields' => array('kontakt_typ_id' => 'kontakt_typ_id',
                                                'rdcaccount_id' => 'rdcaccount_id'));

    $this->parent_relations[]       = array('parent' => 'mnu_account',
                                    'dbname' => 'menu',
                                    'subsys_dir' => 'menu',
                                    'fields' => array('rdcaccount_id' => 'rdcaccount_id'));

    // determines if database updates are recorded in an audit log
    $this->audit_logging            = TRUE;

    // default sort sequence
    $this->default_orderby          = '';

    // alternative language options
    $this->alt_language_table       = '';
    $this->alt_language_cols        = '';

    // alias names
    $this->nameof_start_date        = '';
    $this->nameof_end_date          = '';

    // finished
?><?php
// report structure for a LIST view

$structure['pdf'] = array('orientation' => 'L',     // L=Landscape, P=Portrait
```

```
                    'units' => 'mm',          // pt=Point, mm=Millimeter, cm=Centimeter, in=Inch
                    'format' => 'A4',         // A3, A4, A5, Letter, Legal
                    'name' => '',            // filename (if destination = D or F)
                    'destination' => 'I');    // I=Inline (browser), D=Download (browser), F=Filename
(on server), S=String

$structure['title']['style'] = 'title';            // style for page title
$structure['head']['style']  = 'hdg';              // style for column headings
$structure['body']['style']  = 'body';             // style for main body
$structure['foot']['style']  = 'foot';            // style for page footer

// define contents of page title
$structure['title'][] = array('text' => '- Kontakte -',
                        'width' => 100,
                        'align' => 'center',
                        'border' => 'y');

// set column widths
$structure['columns'][] = array('width' => '20', 'overflow' => 'y'); // Name
$structure['columns'][] = array('width' => '20', 'overflow' => 'y'); // Vorname
$structure['columns'][] = array('width' => '20', 'overflow' => 'y'); // Strasse
$structure['columns'][] = array('width' => '10', 'overflow' => 'y'); // LKZ
$structure['columns'][] = array('width' => '10', 'overflow' => 'y'); // PLZ
$structure['columns'][] = array('width' => '20', 'overflow' => 'y'); // Ort

// identify column names and associated labels
$structure['body']['fields'][] = array('kontakt_name' => 'Name');
$structure['body']['fields'][] = array('kontakt_vorname' => 'Vorname');
$structure['body']['fields'][] = array('kontakt_strasse' => 'Strasse');
$structure['body']['fields'][] = array('kontakt_lkz' => 'LKZ');
$structure['body']['fields'][] = array('kontakt_plz' => 'PLZ');
$structure['body']['fields'][] = array('kontakt_ort' => 'Ort');

// define contents of page footer
$structure['foot1'][] = array('type' => 'date', 'align' => 'left', 'style' => 'textalignleft');
$structure['foot1'][] = array('type' => 'pageno', 'align' => 'center');
$structure['foot1'][] = array('type' => 'time', 'align' => 'right', 'style' => 'textalignright');
$structure['foot2'][] = array('text' => 'This is a piece of text', 'align' => 'center');

?>
```

Can you see something wrong?

And the report file:

```
?>
```

The dict.inc file: