

---

Subject: Change to 2000-01-01 00:00:00 everywhere  
Posted by [apmuthu](#) on Sun, 16 Apr 2017 07:43:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

All schema / data sqls to have all 0000-00-00 00:00:00 changed to 2000-01-01 00:00:00 for later MySQL compatibility.

---

---

Subject: Re: Change to 2000-01-01 00:00:00 everywhere  
Posted by [apmuthu](#) on Sun, 16 Apr 2017 08:05:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Attached is the changed file for survey schema sql file.

#### File Attachments

1) [radicore\\_survey\\_schema\\_fix.zip](#), downloaded 1527 times

---

---

Subject: Re: Change to 2000-01-01 00:00:00 everywhere  
Posted by [AJM](#) on Sun, 16 Apr 2017 09:28:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have updated my script accordingly.

---

---

Subject: Re: Change to 2000-01-01 00:00:00 everywhere  
Posted by [apmuthu](#) on Sun, 16 Apr 2017 10:16:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

For those who want to do in for an existing installation here goes:

```
ALTER TABLE `survey`.`answer_option` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`asset_type` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`default_prompt` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`location_address` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`location_type` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`number_option` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`org_type` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`question_prompt` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
```

```
ALTER TABLE `survey`.`risk_status` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`risk_weighting` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_answer_dtl` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_answer_hdr` CHANGE `created_date` `created_date`
DATETIME DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_hdr` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_question` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_section` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`survey_type` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `survey`.`tree_node` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
```

---

Subject: Re: Change to 2000-01-01 00:00:00 everywhere

Posted by [apmuthu](#) on Sun, 16 Apr 2017 10:23:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The classroom-schema.sql too has the same issue.

```
ALTER TABLE `classroom`.`crs_class` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_lesson` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_room` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_schedule` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_schedule_hdr` CHANGE `created_date` `created_date`
DATETIME DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_student` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_subject` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
ALTER TABLE `classroom`.`crs_teacher` CHANGE `created_date` `created_date` DATETIME
DEFAULT '2000-01-01 00:00:00' NOT NULL;
```

There are still several references in the code to '0000-00-00 00:00:00' like in

`$fieldvalue == '0000-00-00 00:00:00'`

in both sql and .inc files,

Will NULL values (and empty checks) be useful and how do earlier (Pre 5.6) MySQL DBs be managed?

Scripts that generate PHP pages too should be taken into account.

## File Attachments

---

1) [classroom\\_schema.zip](#), downloaded 1589 times

---