Subject: Sub totals and Page Breaks Posted by gpatti on Sat, 16 Jan 2010 17:38:05 GMT

View Forum Message <> Reply to Message

Tony,

I'm struggling achieving the desired output with the ListView print_before and print_after methods - can you confirm if the following is possible with existing methods?:

I am producing a listview output for a number of entities, each of which has one or more items belonging to it, containing an amount.

I want to produce a separate page for each entity and have a subtotal for each entity at the bottom of each page.

The page break is easy, but I can't get the subtotal to appear with the correct entity at the same time as it needs to go in the print_before method with the page break. Therefore, the total always goes at the top of the next page.

How can Lachieve this?

Thanks,

Graham

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sat, 16 Jan 2010 22:15:48 GMT

View Forum Message <> Reply to Message

Surely you want to print the subtotals for an entity using the print_after method, not the print_before method. The page break should then be processed after the print_after method, or within the print_before method of the next entity.

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sat, 16 Jan 2010 22:36:53 GMT

View Forum Message <> Reply to Message

Well maybe I'm missing something and you can point me in the right direction, but my thinking is this:

I can't print the subtotals in the print_after method because I don't know at that stage that the entity will change and this is the last item for that entity.

I think I only know that I want to print subtotals and break a page at the same point - in the

print_before method.

I am thinking that I need to be ale to tell the system to page break before or after the additionally generated lines are printed (in this case after) and I can't figure out a way to do that.

Hope this makes sense. Perhaps you can figure a way to achieve this?

```
Subject: Re: Sub totals and Page Breaks
Posted by AJM on Sun, 17 Jan 2010 08:19:24 GMT
View Forum Message <> Reply to Message
```

I have played around with some test data in the EXAMPLE subsystem to see if I can achieve the result you desire. The only way I could do this was to modify the _cm_ListView_print_after() method to include a second argument for \$next_row. My 'before' and 'after' methods are as follows:

```
function _cm_ListView_print_before ($prev_row, $curr_row)
// allow extra rows to be created in List View
  $output = array();
  if (!empty($prev_row)) {
    // row has changed
    if (substr($prev_row['last_name'], 0, 1) != substr($curr_row['last_name'], 0, 1)) {
      // first character of last name has changed
     $this->pdf->AddPage():
    } // if
  } // if
  return $output;
} // cm ListView print before
function _cm_ListView_print_after ($curr_row, $next_row)
// allow extra rows to be created in List View
{
  $output = array();
  if (substr($next_row['last_name'], 0, 1) != substr($curr_row['last_name'], 0, 1)) {
    // first character of last name has changed
    $output[0]['pers type desc'] = 'after' .$curr row['person id'];
  } // if
  return $output;
```

```
} // _cm_ListView_print_after
```

Attached are the framework scripts which I have modified. Try them out and let me know if they solve your problem.

File Attachments

1) std.pdf.class.zip, downloaded 2102 times

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 09:56:37 GMT

View Forum Message <> Reply to Message

I'm finding that \$this->pdf->AddPage() is not working when called within _cm_ListView_print_before().

I ran my existing code (page breaks but no subtotals) which uses the deprecated _cm_ListView_pre_print() method and it behaves correctly. If I make the simple change to the new method it doesn't throw page breaks.

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 10:13:33 GMT

View Forum Message <> Reply to Message

In my test the call to \$this->pdf->AddPage() within _cm_ListView_print_before() is conditional, so are you sure the condition is being met? If it is called it will ALWAYS generate a new page, so step through with your debugger to see that it is actually being called.

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 10:33:43 GMT

View Forum Message <> Reply to Message

I'll try debugging later today. However, I did use exactly the same code from the deprecated method which worked. (I effectively just changed the name of the function).

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 15:30:03 GMT

View Forum Message <> Reply to Message

I've solved the AddPage issue. The class I am using is an extension of another class, and that class contained the deprecated _cm_ListView_pre_print() method. This was causing _cm_ListView_print_before() not to be executed.

However, the updates sre not working correctly because of the following:

In _print_after() the field I am comparing to see if the entity is changed from \$current_row to \$next_row does not have the same formatting applied, so the comparison ALWAYS returns false. \$current_row contains the ValRep representation of the entity, whilst the \$next_row contains the entity id.

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 15:37:43 GMT

View Forum Message <> Reply to Message

The solution is simple - either:

- (a) apply the same formatting to both values
- (b) do not apply any formatting to either value

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 16:31:12 GMT

View Forum Message <> Reply to Message

But I think the formatting is being applied / not applied by the framework - and is not consistent.

In the print_before() method the formats of all fields in \$previous_row and \$current_row are the same, without any specific coding. However, in the print_after() method the formats are not the same for the \$current_row and \$next_row.

Do I specifically need to apply formatting in the print after() method?

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 16:53:40 GMT

View Forum Message <> Reply to Message

Try the attached fix. This should not apply any formatting to the previous/current/next record until AFTER it has been examined and just BEFORE it is printed.

(attachment deleted)

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 17:12:10 GMT

View Forum Message <> Reply to Message

The previous fix wasn't quite right, so here's another.

(attachment deleted)

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 17:19:38 GMT

View Forum Message <> Reply to Message

This is giving strange results. I am now seeing the entity id as NULL in some cases, an id in some cases and a value representation in others.

I will need to debug in detail to see what is happening where.

Hold this - just spotted your later post!

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 17:24:10 GMT

View Forum Message <> Reply to Message

Tony,

The later fix gives an error:

Fatal error: Call to a member function formatData() on a non-object in

C:\xampp\includes\std.pdf.class.inc on line 924

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 17:45:06 GMT

View Forum Message <> Reply to Message

Third time lucky (I hope)

File Attachments

1) std.pdf.class.zip, downloaded 2123 times

Subject: Re: Sub totals and Page Breaks

Posted by gpatti on Sun, 17 Jan 2010 18:24:12 GMT

View Forum Message <> Reply to Message

Not having much luck I'm afraid. This version has caused a fatal SQL syntax error...

In my _cm_formatData() method I use rdcaccount_id from \$rowdata to build a query to check a user format preference. The query being produced has rdcaccount_id set to NULL, so for some reason \$rowdata doesn't contain rdcaccount_id when you call it.

A solution would be for me to only execute the query conditionally (i.e. if rdcaccount_id != NULL).

I'll do this unless you think there might be a further issue in your code somewhere.

Subject: Re: Sub totals and Page Breaks

Posted by AJM on Sun, 17 Jan 2010 20:49:52 GMT

View Forum Message <> Reply to Message

What happens in cm_formatData() is under your control, so if you have code there which produces an invalid sql query I'm afraid you'll have to correct it yourself.